

Work Order ID 79198

79198

Page 1

January-23-12 1:57:56 PM

Item ID: D2661-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, LH Fwd Aft Out 206
 Start Date: 23/01/2012 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 06/02/2012 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: M.C.5 Date: 12/01/12 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2661	Rev E

100
100
 HAAS I
 HAAS CNC vertical machine #1
 HAAS CNC VERTICAL MACHINING #1
 Memo
 Program part number and batch number.
 Program part number and batch number
 MACHINE AS PER DWG AND FOLIO FB073
 FOLIO REV: 9A
 DWG REV: E
 0.00
 0.00
 B.A 12/02/21
 10 0

110
110
 Mill Conv
 Conventional Milling Machine
 CONVENTIONAL MILLING MACHINE
 Memo
 Machine Keyway and inspect per attached dimension sheet
 0.00
 0.00
 B.A 12/02/22
 10 0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 79198

79198

Page 2

January-23-12 1:57:56 PM

Item ID: D2661-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, LH Fwd Aft Out 206
 Start Date: 23/01/2012 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 06/02/2012 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC2- Inspect parts off machine FAI/FAIB Memo	0.00 0.00	B.A	12/02/21		10	6		
			FK-	12/02/23.					
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00	JL	12-02-24		10			
140 *140* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.00							

Handwritten signature and date: 28-2-12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 79198

79198

Page 3

January-23-12 1:57:56 PM

Item ID: D2661-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, LH Fwd Aft Out 206
Start Date: 23/01/2012 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 06/02/2012 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

150 White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum 0.00

150

Powdercoat

Powder Coating

Memo

START TIME:

FINISH TIME:

OVEN TEMPERATURE:

0.00

11:30
3200F
12:00

10X M-F 12/03/02

160

QC3- Inspect Part Finish

0.00

160

QC

Quality Control

Memo

0.00

12/3/2 SP 12

170

Identify as per dwg & Stock Location **5436** 0.00

170

Packaging

Packaging

Memo

0.00

10X SP 12-03-2.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 79198***79198***

Page 4

January-23-12 1:57:56 PM

Item ID: D2661-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, LH Fwd Aft Out 206
Start Date: 23/01/2012 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 06/02/2012 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.00							
Quality Control									

MLJ 12/03/02

MF
12-03-02

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 1

January-23-12 1:58:00 PM

Work Order ID: 79198

79198

Parent Item: D2661-1

D2661-1

Parent Item Name: Saddle, LH Fwd Aft Out 206

Start Date: 23/01/2012

Required Date: 06/02/2012

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP: C00.11.01Removed P/O for Powder Coat - in house
processEC IPP REV:D
REDESIGN PER ENG ERROR 11-11-17 JLM VERIFIED BY:DD
IPP Rev:D As per Rev D 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-003		Manufactured	No			100	Each	80.0000	1	10			

D6101-003

Saddle Billet, 7075

B.A 12/02/21

Location	Loc Qty	Loc Code
MAT040	86	
73775	2	
73780	7	
77562	10	
78599	60	
MAT042	-7	
MAT044	1	
73769	1	

→ 79587

10.0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	79198
Description: 206 Saddle, Outboard, Left side		Part Number:	D2661-1
Inspection Dwg: D2661 Rev: E DSK: Rev:		Page 1 of 2	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
A	3.611	3.621		3.616	3.616	3.616	3.616	3.616
B	0.256	0.263		.260	.260	.260	.260	.260
C	0.315	0.322		.316	.316	.316	.316	.316
D	2.495	2.505		2.500	2.500	2.500	2.500	2.500
E	1.674	1.684		1.679	1.679	1.679	1.679	1.679
F	1.357	1.367		1.362	1.362	1.362	1.362	1.362
G	0.100	0.140		.124	.125	.125	.126	.124
H	0.210	0.230		.227	.227	.227	.228	.227
I	0.615	0.685		.680	.680	.680	.680	.680
J	2.470	2.510		2.496	2.490	2.490	2.490	2.490
K	1.313	1.343		1.327	1.327	1.328	1.328	1.327
L	0.178	0.198		.188	.188	.188	.188	.188
M	0.470	0.530		.500	.500	.500	.500	.500
N	1.125	1.145		1.135	1.135	1.135	1.135	1.136
O	0.100	0.180		.135	.135	.135	.135	.135
P	0.100	0.140		.131	.131	.131	.131	.131
Q	0.240	0.260		.252	.252	.252	.253	.253
R	0.677	0.697		.687	.687	.687	.687	.687
S	0.100	0.140		.120	.120	.120	.121	.121
T	1.565	1.585		1.575	1.575	1.575	1.575	1.575
U	0.540	0.560		.550	.551	.550	.551	.550
V	0.912	0.932		.922	.922	.922	.922	.922
W	0.787	0.807		.797	.797	.797	.797	.797
X	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Y	4.995	5.005		5.000	5.000	5.000	5.000	5.000
Z	0.490	0.510		.500	.500	.500	.500	.498
AA	0.312	0.319		.314	.314	.314	.314	.314
AB	0.990	1.010		1.000	1.000	1.000	1.000	1.000
AC	1.245	1.255		1.250	1.250	1.250	1.250	1.250
AD	0.490	0.510		.500	.500	.500	.500	.500
AE	3.745	3.755		3.750	3.750	3.750	3.750	3.750
AF	0.235	0.240		.236	.236	.236	.236	.235
AG	0.510	0.515		.512	.512	.512	.512	.512
AH	0.100	0.120		.109	.109	.109	.109	.108
AI								

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	79190
Description: 206 Saddle, Outboard, Left side		Part Number:	D2661-1
Inspection Dwg: D2661 Rev: E DSK: Rev:		Page 2 of 2	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
AJ								
AK								
AL								
AM								
AN								
Accept/Reject								

Measured by: B.A. / F.K.

Date: 12/02/21 / 12/02/23.

Audited by: JL

Date: 12-02-21

Prototype Approval:

Date:

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
C	99.11.11	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	
G	11.11.07	Dimensions C and F revised	KJ	
H	12.01.10	Revised per drawing revision E	KJ	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	79198
Description: 206 Saddle, Outboard, Left side		Part Number:	D2661-1
Inspection Dwg: D2661 Rev: E DSK: Rev:		Page 1 of 2	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				16	17	18	19	10
A	3.611	3.621		3.616	3.616	3.616	3.616	3.616
B	0.256	0.263		.260	.260	.260	.260	.260
C	0.315	0.322		.316	.316	.316	.316	.316
D	2.495	2.505		2.500	2.500	2.500	2.500	2.500
E	1.674	1.684		1.679	1.679	1.679	1.679	1.679
F	1.357	1.367		1.362	1.362	1.362	1.362	1.362
G	0.100	0.140		.124	.124	.124	.124	.124
H	0.210	0.230		.228	.227	.227	.227	.227
I	0.615	0.685		.680	.680	.680	.680	.680
J	2.470	2.510		2.490	2.490	2.490	2.490	2.490
K	1.313	1.343		1.328	1.327	1.327	1.327	1.327
L	0.178	0.198		.188	.188	.188	.188	.188
M	0.470	0.530		.500	.500	.500	.500	.500
N	1.125	1.145		1.135	1.135	1.135	1.135	1.135
O	0.100	0.180		.135	.135	.135	.135	.135
P	0.100	0.140		.131	.132	.132	.132	.131
Q	0.240	0.260		.253	.252	.252	.253	.253
R	0.677	0.697		.687	.687	.687	.687	.687
S	0.100	0.140		.120	.120	.120	.120	.122
T	1.565	1.585		1.575	1.575	1.575	1.575	1.575
U	0.540	0.560		.550	.550	.551	.550	.550
V	0.912	0.932		.922	.922	.922	.922	.922
W	0.787	0.807		.797	.797	.797	.797	.797
X	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Y	4.995	5.005		5.000	5.000	5.000	5.000	5.000
Z	0.490	0.510		.500	.500	.500	.499	.500
AA	0.312	0.319		.314	.314	.314	.314	.314
AB	0.990	1.010		1.000	1.000	1.000	1.000	1.000
AC	1.245	1.255		1.250	1.250	1.250	1.250	1.250
AD	0.490	0.510		.500	.500	.500	.500	.500
AE	3.745	3.755		3.750	3.750	3.750	3.750	3.750
AF	0.235	0.240		.235	.235	.236	.235	.236
AG	0.510	0.515		.512	.512	.512	.512	.512
AH	0.100	0.120		.108	.108	.109	.108	.109
AI								

DART AEROSPACE LTD				Work Order: 79198	
Description: 206 Saddle, Outboard, Left side				Part Number: D2661-1	
Inspection Dwg: D2661 Rev: E DSK: Rev:				Page 2 of 2	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
AJ								
AK								
AL								
AM								
AN								
Accept/Reject								

Measured by: B.A. / FK


Date: 12/01/22 / 12/02/23


Audited by: SL

Date: 12-02-24


Prototype Approval:

Date:

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
C	99.11.11	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	
G	11.11.07	Dimensions C and F revised	KJ	
H	12.01.10	Revised per drawing revision E	KJ	



D2661-1 SADDLE, OUTSIDE, LH




D2661-2 SADDLE, OUTSIDE, RH

RELEASED
R 2011-11-16

SHO...
F...
ENG...
UNCONTROLLED
SUBJECT TO...
W...
W...

NO. 79198-4LT
12/01/23

E	REDRAW & REFORMAT DWG; 0.687 WAS 0.547 (B6-2,B8-4), REF NCR 11-935	CP	11.10.31
D	R0.188 WAS R0.30; Ø0.316 WAS Ø0.313	CB	06.11.08
C	INCORPORATE DEO 9122, 9102, 9095	CB	06.05.29
B	ANGLE AND NOTES ADDED	KE	97.07.11
A	NEW ISSUE	DS	07.03.25
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D2661	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, OUTSIDE	NTS
DATE		11.10.31	COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

79198



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

79198



VIEW B-B
SCALE 1.5X
VIEW ROTATED



VIEW A-A
SCALE 1.5X

RELEASED
2011-11-16

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2661	REV. E
MFG. APPR.		TITLE	SHEET 3 OF 5
APPROVED		SADDLE, OUTSIDE	SCALE
DE APPR.			NTS
DATE	11.10.31	<small>COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRELIMINARY AND CONFIDENTIAL. WHOEVER RECEIVES IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

79198



RELEASED
2011-11-16

D2661-2 SADDLE, OUTSIDE, RH

- 1) MATERIAL: 7075-T7351 ALUMINUM PLATE PER QQ-A-250/12, AMS-QQ-A-250/12, OR ASTM B209
MAKE FROM D6101-003 SADDLE BILLET
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE GLOSS" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.010 TO 0.020 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.010 WITH MIN RADIUS OF 0.010
IDENTIFY WITH DART LOGO PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.015 WITH MIN RADIUS OF 0.25
- 7) WEIGHT: 0.79 lbs

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.		D2661	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, OUTSIDE	NTS
DATE	11.10.31	<small>COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON OR WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

79198



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries